POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS		
Total 2001 Population 45,500	i MA Maissan Diagrams			
Population per square mile 53 County ranking in state (1-72) 34	Clients Costs COP 103 \$251,659 MA Waiver *	Ctaffing ETE Number Benulation		
Age Female Male Total 0-14	MA Waiver *	Professional staff		
20-24 1,150 1,200 2,350 25-29 1,140 1,160 2,290	COP-W 81 \$624,369	Funding Per capita		
30-34	CSLA	Local Taxes		
45-54	\$731 579 of the above waiver costs	LICENSED ESTABLISHMENTS		
65-74	<pre>were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.</pre>	Type Capacity Facilities Bed & Breakfast 24 8 Camps 1,611 41 Hotels, Motels 1,441 74 Tourist Rooming 60 23		
Age Female Male Total 0-17 5,620 5,900 11,510	<pre>* Waiver costs reported here include federal funding. Clients Costs</pre>	Restaurants 99		
18-44	Eligible and Waiting 121 n/a	Vending 7 		
Poverty Estimates for 2000	(Family Care not provided in county)	WIC PARTICIPANTS		
$\int Fstimate (CT + / -)$	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Number Pregnant/Postpartum 530 Infants 521 Children, age 1-4 767 Total 1,818		
EMPLOYMENT		CANCER INCIDENCE		
Note: based on place of work	Patients per 10,000 pop. 72	1999 Primary Site Number Breast 34		
Labor Force Estimates	Nursing Homes 8 Licensed beds 537	Cervical 3 Colorectal 29		
Civilian Labor Force 23,850 Number employed 22,542 Number unemployed 1,308 Unemployment rate 5.59	Nursing Homes 8 Licensed beds 537 Occupancy rate 88.9% Residents on Dec.31 491 Residents age 65 or older per 1,000 population 64	Trachea, Bronchus, Lung 34 Prostate 20 Other sites 65 Total 185		

* Not reported: age or race category has less than 5 births

Teenage Births

PAG	SE 2			2001 PROFILE FOR BA	ARRON COU	NTY		Second of	four pages
	TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat Live births with repo			NATA	JITV				
1	TOTAL LIVE BIRTHS		472	Birth Order	Births	Percent	Marital Status		
i				First	196	42	of Mother	Births	Percent
i	Crude Live Birth Rate	<u>,</u>	10.4	Second	138	29	Married	325	69
İ	General Fertility Rat	:e	53.0	Third	86	18	Not married	147	31
				Fourth or higher	51	11	Unknown	Θ	0
	Live births with repo congenital anomalies	orted		Unknown	1	<.5			
	congenital anomalies		6 1.3%				Education		
ļ				First Prenatal Visit			of Mother	Births	Percent
ļ	Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or le	ss 40	8
ļ	Vaginal after	1.4	2	1st trimester	384	81	Some high school	44	9
ļ	previous cesarean	14	3	2nd trimester	51	11	High School	191	40
-	Other vacinal	2 F 4	< . 5 7 F	No wisits	28	b 1	Some College	123	26 15
ļ	Other Vaginat	334 73	/ 5 1 F	NO VISILS	ס כ	1	Some high school High school Some college College graduate Unknown	/ 1	15
-	Panast casaraan	7.3	15	UIIKIIOWII	3	1	UTIKTIOWIT	3	1
-	Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown	90	0	Number of Prenatal			Smoking Status		
-	other of unknown	O	U	Care visits	Dirthe	Dorcont	of Mothor	Rirths	Percent
-	Birthweight	Births	Percent	No visits	6	1	Smoker	93	20
i	<1.500 gm	0	0.0	1-4	11	2	Smoking Status of Mother Smoker Nonsmoker Unknown	377	80
i	1,500-2,499 gm	24	5.1	5 - 9	87	18	Unknown	2	<.5
i	2,500+ gm	446	94.5	10-12	204	43			
ĺ	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	2	< . 5	13+	162	34			
				Unknown	2	< . 5			
ļ									
Race of Mother Births Percel White 461 9: Black 1 < Other 10 Unknown 0				low Rirthweight		Trimest	er of First Prenata	l Visit	
		(under 2.500 gm)	1st Tr	imester	2nd Trimester	Other/	Unknown		
i	Race of Mother	Births F	Percent	Births Percent	Births	Percent	Births Percent	Births	Percent
i	White	461	98	23 5.0	376	82	49 11	36	8
j	Black	1	< . 5	*	*	•	*	*	
	Other	10	2	1 10.0	7	70	2 20	1	10
ļ	Unknown	Θ	Θ			•		•	
				Law Birthwaight			or of First Dropata		
-	Age of Mother	Ea	\r+ili+\/	(under 2 FAA gm)	1c+ Tr	imactor	er of FIRSt Prenata	L VISIL	 Hakaara
-	Age of Mother	Rirths	Rate	Rirths Percent	ISL II Rirthc	Parcent	Rirths Parcent	Rirths	Parcent
-	<15	7	Nate	*	# ×	rercent	*	# ×	Tercent
ł	15-17	12	10	•	11	92	•	1	8
i	18-19	41	73	3 7.3	33	80	6 15	2	5
i	20-24	152	132	13 8.6	118	78	18 12	16	11
i	25-29	144	127	2 1.4	120	83	16 11	8	6
İ	30-34	88	67	5 5.7	79	90	5 6	4	5
j	35-39	25	14		20	80	2 8	3	12
ļ	40+	8	4	1 12.5	2	25	4 50	2	25
ļ	Unknown	Θ		Low Birthweight (under 2,500 gm) Births Percent *	•	•		•	
ı									

32

MORBIDITY			MO F	RTALITY			
	MORBIDITY MORTALITY MORTALITY Note: Death rates (except infant) are per 100,000 population. Infant,						
	neonatal, and postneonatal death rates are per 1,000 live births.						
REPORTED* CASES OF SELECTED DISEASES	Perinatal and fetal death rates are per 1,000 live births plus						
I KEIOKIED CASES OF SEEECTED DISEASES	fetal deaths. Rates are not calculated for fewer than 20 deaths.						
	retal deaths. Rates are not catculated for fewer than 20 deaths.						
l Disease Number	TOTAL DEATHS		475	Selected			
Campylobacter Enteritis 19	TOTAL DEATHS Crude Death Ra	2+0	1 0/1		Doothe	Pata I	
	i Crude Death K	ate	1,042	Underlying Cause	14F	Rate	
	!			Heart Disease (total)		318	
	!	B	D	Ischemic heart diseas		235 j	
Hepatitis Type B** <5	Age	Deaths	Rate	Cancer (total)	99	217	
Hepatitis NANB/C <5	1-4	2	•	Trachea/Bronchus/Lung		70 j	
Legionnaire's 0	5-14	1	•	Colorectal Female Breast	15	· . !	
Lyme 19	15-19	1	•	Female Breast	7	.*	
Measles 0	20-34	6	_ :	Cerebrovascular Diseas	se 45	99 j	
Meningitis, Aseptic 0	j 35-54	28	208 840	Lower Resp. Disease Pneumonia & Influenza	35	77 j	
Meningitis, Bacterial <5	j 55-64	37	840			.	
Mumps <5	j 65-74	72	1,949	Accidents	17	.	
Pertussis <5	j 75-84		5,612	Motor vehicle	11	.	
Salmonellosis 11	j 85+	177	16,460	Diabetes	12	.	
Shigellosis 0				Infectious & Parasition	: 6	.	
Tuberculosis <5				Suicide	9	.	
	Infant						
* 2001 provisional data	Mortality	Deaths	Rate	* Rate for female brea		based	
** Includes all positive HBsAg	Total Infant			on female popula	ntion.	I	
test results	Neonatal		•			I	
	Mortality Total Infant Neonatal Postneonatal		•	ALCOHOL AND DRUG ABUSE			
	Unknown			j OR CONTRIBUTING CAU	JSE OF DEAT	Ή	
Sexually Transmitted Disease						I	
Chlamydia Trachomatis 66	Race of Mother			Alcohol	5	.	
Genital Herpes 12	White			Alcohol Other Drugs Both Mentioned	11	.	
Gonorrhea 9	j Black	•		Both Mentioned	•	.	
Syphilis 0	Other					ļ	
	Unknown			MOTOR VEHICL	E CRASHES		
	į					. !	
	Birthweight Note: These data are based on						
IMMUNIZATIONS	<pre>1,500 gm 1,500-2,499 gm</pre>	•	•	of crash, not o	on residenc	e.	
	1,500-2,499 gm					l	
Children in Grades K-12 by	2,500+ gm			Type of Motor Vehicle Crash Total Crashes	Persons P		
Compliance Level	j Unknown			Vehicle Crash	Injured		
Compliant 8,147 Non-compliant 265				Total Crashes	485	10	
Non-compliant 265	!			Total Crashes Alcohol-Related	57	2	
Percent Compliant 96.8	Perinatal			With Citation:		_ !	
	Mortality	Deaths	Rate	For OWI	33	0	
	Total Perinatal	2	•	For Speeding Motorcyclist	15	0	
	Neonatal Fetal	<u>.</u>	•	Motorcyclist	13	1	
	ļ Fetal	2		Bicyclist	4	0 j	
	1			Pedestrian	8	0	

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Charge Alcohol-Related
Total 196 4.3 3.8 \$3,198
18-44 133 8.4 3.6 \$3,085
45-64 46 4.3 3.4 \$3,271 Injury-Related: All Total 452 9.9 4.3 \$9,493 <18 37 3.2 3.2 \$6,626 18-44 96 6.1 3.5 \$8,893 45-64 82 7.7 4.1 \$11,080 65+ 237 31.8 4.9 \$9,634 \$94 \$14 \$21 \$26 \$21 \$54 \$85 Pneumonia and Influenza \$306 Total 245 5.4 4.0 \$6,291 <18 31 2.7 2.1 \$3,069 \$15 45-64 32 3.0 4.8 \$10,120 \$92 \$92 \$65+ 168 22.5 4.3 \$6,218 \$14 \$34 Injury: Hip Fracture \$8 Total 59 1.3 6.5 \$11,908 \$15 | 65+ 57 7.6 6.5 \$12,025 \$92 | \$30 \$140 Injury: Poisonings Total 30 0.7 1.8 \$3,221 \$2 18-44 20 1.3 2.1 \$3,718 \$5 Total 171 3.8 3.4 \$7,184 45-64 29 2.7 4.0 \$9,829 65+ 135 18.1 3.3 \$6,615 \$27 \$27 \$120 Chronic Obstructive Pulmonary Disease Psychiatric

 sychiatric

 Total
 351
 7.7
 6.4
 \$4,910

 <18</td>
 31
 2.7
 13.4
 \$8,449

 18-44
 243
 15.3
 5.7
 \$4,470

 45-64
 45
 4.2
 5.8
 \$4,786

 65+
 32
 4.3
 5.9
 \$4,998

 \$38 \$13 \$23 \$69 \$20 \$21 \$48 Coronary Heart Disease \$4 Total 363 8.0 3.7 \$16,522 45-64 130 12.2 2.6 \$15,435 65+ 221 29.6 4.5 \$17,482 \$132 \$8 \$188 | Total Hospitalizations \$518 Malignant Neoplasms (Cancers): All \$199 ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) | Total 860 18.9 3.4 \$5,209 \$98 <18 95 8.3 1.7 \$2,358 \$19 18-44 83 5.2 2.3 \$4,121 \$22 45-64 152 14.3 3.5 \$6,109 \$87 65+ 530 71.1 3.9 \$5,632 \$400 Total 26 1.1 1.7 \$6,765 \$8 Neoplasms: Colo-rectal Total 31 0.7 8.8 \$16,352 \$11 65+ 22 2.9 8.9 \$17,692 \$52 Neoplasms: Lung Total 21 0.5 6.0 \$14,110 \$7 * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Diabetes Total 88 1.9 3.5 \$5,228 \$10 65+ 42 5.6 4.4 \$6,111 \$34 Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.